

# Supply Schedules 2024

## **Ventilation**

No. 129783 - Valid from 01.04.2024

Suggested sales prices. V.A.T. excluded.

No. 129783 - Valid from 01.04.2024

Suggested sales prices. V.A.T. excluded.

This price list is valid from 01.04.2024 and until the publication date of the subsequent list. Note: our price lists are regularly updated at short notice. Please make sure you have the current price list before you order by calling us (+49-(0)40-547 02-0) or by using your customer log-in to check our Web site ([www.loewensteinmedical.de](http://www.loewensteinmedical.de)).

All previously issued price lists lose their validity as of the publication date of the newest price list.

We reserve the right to make changes to designs and equipment, especially those resulting from ongoing development of new production series, without prior notice.

Löwenstein Medical Technology is entitled to exclusive use of any and all forms of copyright related to this publication unless it grants express permission to another party.

A minimum quantity surcharge of 10 € applies to deliveries in foreign countries with a total value of less than 300 €.

## Table of content

<b>Ventilation</b>	1
<b>LUISA ventilation devices</b>	1
LUISA	1
<b>Accessories LUISA</b>	2
<b>prisma VENT and prisma30 ST ventilators;</b>	5
prisma VENT50	5
prisma VENT50-C	6
prisma VENT40	7
prisma VENT30-C	8
prisma30ST	9
<b>Accessories prisma VENT and prisma30ST</b>	10
<b>VENTillogic LS ventilation devices</b>	12
VENTillogic LS	13
<b>Accessories VENTillogic LS</b>	15
<b>Replacement Parts Ventilation</b>	17
<b>Software</b>	19
<b>Instructions for use</b>	20
<b>Flat fee for re-assignment;or change of patients</b>	27
<b>Flat rate maintenance</b>	27
<b>Maintenance and Safety Checks</b>	27

## **Ventilation**

### **LUISA ventilation devices**

#### **LUISA**

LMT 31390-1110

LUISA with HFT mode (LMT variant)  
Ventilation device type LM150TD  
consists of:  
LUISA basic device (LMT 31410) including ex-  
piration module, disposable (LMT 31404)  
Single circuit with valve, 22 mm Ø (LMT 31382)  
Power supply unit (LMT 31569)  
Power cord (WM 24177)  
Oxygen connection nozzle (WM 30669)  
Set of 12 pollen/fine filters (WM 29652)  
Set of 2 air/coarse dust filters (WM 29928)  
Protection bag (LMT 31010)  
LUISA accessories bag, EN (LMT 31440)  
USB-C flash drive, 32 GB (LMT 31414)

**Accessories LUISA**

LMT 31410	Basic device LUISA with HFT mode
WM 23962	Leakage circuit, 22 mm, black
WM 24667	Breathing tube 22 mm, autoclavable
WM 29988	Breathing tube, 15 mm, for prisma type WM 100TD / 110 TD/ 120TD, LM150TD
WM 27651	Leakage circuit for mouthpiece ventilation, 15 mm
WM 271705	Leakage circuit, heated (i), auto-fill chamber, passive valve, 150 cm + 60 cm, 22 mm Ø for LM150TD, prisma VENT AQUA, prisma VENT50-C
WM 271704	Leakage circuit, heated (i), auto-fill chamber, passive valve, 150 cm + 60 cm, 15 mm Ø for LM150TD, prisma VENT AQUA, prisma VENT50-C
LMT 31382	Single circuit with valve, 22 mm Ø
LMT 31383	Single circuit with valve, 15 mm Ø
LMT 31385	Single circuit with valve, heated (i), with auto-fill chamber, 150 cm + 60 cm, 22 mm Ø
LMT 31384	Single circuit with valve, heated (i), with auto-fill chamber, 150 cm + 60 cm, 15 mm Ø
LMT 31581	Double circuit, 22 mm Ø
LMT 31577	Double circuit, 15 mm Ø
LMT 31583	Double circuit, heated (i+e), auto-fill chamber, 150cm + 60 cm, 22 mm Ø
LMT 31582	Double circuit, heated (i+e), auto-fill chamber 150 cm + 60 cm, 15 mm Ø
LMT 31386	Double circuit, heated (i+e), auto-fill chamber, 120 cm + 60 cm, 10 mm Ø
WM 25500	Silentflow 3, exhalation system
WM 27589	WILAsilent exhalation system
WM 27651	Leakage circuit for mouthpiece ventilation, 15 mm
WM 27646	Mouthpiece
LMT 15984	Set, 90 ° circuit adapter
WM 27591	Bacteria and virus filter Teleflex Iso-Gard (breathing system filter)
WM 29928	Set of 2 air filters/coarse dust filters
WM 29652	Set of 12 Pollen filters/fine filters
LMT 31502	FiO2 cell
WM 30669	Oxygen connection nozzle
LMT 31404	Expiration module, disposable
LMT 31413	Expiration module, autoclavable
LMT 15986	Set, cover of expiration module
LMT 31010	Protection bag
LMT 31554	Mobility bag
LMT 31440	LM150TD accessories bag, EN
LMT 31579	LUISA accessories bag, DE

LMT 31370	Trolley 2.0 clinic for device type LM150TD consists of: -Trolley 2.0 -Set, plate for trolley 2.0 for device type LM150TD - Device plate for trolley 2.0 for device type LM150TD -Power supply holder for trolley 2.0 -Fixing set for oxygen bottle for trolley 2.0 -Water bag holder for trolley 2.0 -Circuit Holder for trolley 2.0
LMT 31360	Trolley 2.0 Homecare for device type LM150TD consists of - Trolley 2.0 -Set, plate for trolley 2.0 for device type LM150TD -Device plate for trolley 2.0 for device type LM150TD -Power supply holder for trolley 2.0  *The LMT 31354 circuit arm has to be ordered separately.*
LMT 31371	Set, plate for trolley 2.0 for device type LM150TD
LMT 31359	Set, device plate for trolley 2.0 for device type LM150TD
LMT 31351	Power supply holder for trolley 2.0
LMT 31352	Fixing set for oxygen bottle for trolley 2.0
LMT 31353	Water bag holder for trolley 2.0
LMT 31354	Circuit Holder for trolley 2.0
LMT 31368	Mounting bracket for ISO-rail
LMT 31414	USB-C flash drive
LMT 31578	COM cable for Philips Intellivue monitors
LMT 31560	VENTIremote alarm LM150TD, 10 m
LMT 31570	VENTIremote alarm LM150TD, 30 m
LMT 31510	Cable 10 m, nurse call LM150TD
LMT 31520	Cable 30 m, nurse call LM150TD
LMT 31540	External battery
LMT 31594	Charger for external battery
LMT 31569	Power supply unit
WM 24177	Power cord
LMT 31593	SpO2/Xpod®-cabel
LMT 31580	SpO2 sensor size S
LMT 31396	SpO2 sensor size M
LMT 31388	SpO2 sensor size L
LMT 29754	HFT- nasal cannula adult, size S
LMT 29755	HFT- Nasal Cannula Adult, size M
LMT 29756	HFT- Nasal Cannula Adult, size L

LMT 29751	HFT- Nasal Cannula Pediatric, size S
LMT 29752	HFT- Nasal Cannula Pediatric, size M
LMT 29753	HFT- Nasal Cannula Pediatric, size L
WM 100506	prisma VENT AQUA 230 V respiratory humidifier consists of: prisma VENT AQUA, basic device power cord, standard heating wire (i) temperature probe, 160 cm instruction for use quick instruction for use
LMT 31408	Bag tag LUISA
LMT 31574	Cover Expiration module LM 150TD
WM 100507	prisma VENT AQUA 115 V respiratory humidifier consists of: prisma VENT AQUA, basic device power cord, standard heating wire (i) temperature probe, 160 cm instruction for use quick instructions for use

**prisma VENT and prisma30 ST ventilators;**

**prisma VENT50**

WM 30650-1110

prisma VENT50 with battery  
ventilation device Typ WM 120  
consists of:  
prisma VENT50 basic device (WM 30660)  
Single patient circuit valve ventilation (WM 27181)  
Power cord (WM 24177)  
Set of 12 pollen filter (WM 29652)  
Set of 2 air filters (WM 29928)  
O2 connection nozzle (WM 30669)  
prismaBAG advanced, transport bag (WM 29710)  
SD card (WM 29794)

WM 30670-1110

prisma VENT50  
ventilation device, Typ WM 120  
consists of:  
prisma VENT50 basic device (WM 30640)  
Single patient circuit valve ventilation (WM 27181)  
Power cord (WM 24177)  
Set of 12 pollen filter (WM 29652)  
Set of 2 air filters (WM 29928)  
O2 connection nozzle (WM 30669)  
prismaBAG advanced, transport bag (WM 29710)  
SD card (WM 29794)



**prisma VENT50-C**

WM 30680-1110

prisma VENT50-C  
Ventilation device type WM 120  
consists of:  
prisma VENT50-C basic device (WM 30620)  
Single patient circuit valve ventilation (WM 27181)  
Power cord (WM 24177)  
Set of 12 pollen filter (WM 29652)  
Set of 2 air filters (WM 29928)  
O2 connection nozzle (WM 30669)  
prismaBAG advanced, transport bag (WM 29710)  
SD card (WM 29794)

WM 30690-1110

prisma VENT50-C with battery  
ventilation device Typ WM 120  
consists of:  
prisma VENT50-C basic device (WM 30630)  
Single patient circuit valve ventilation (WM 27181)  
Power cord (WM 24177)  
Set of 12 pollen filter (WM 29652)  
Set of 2 air filters (WM 29928)  
O2 connection nozzle (WM 30669)  
prismaBAG advanced, transport bag (WM 29710)  
SD card (WM 29794)

### **prisma VENT40**

WM 29550-1110	<p>prisma VENT40 with battery, ventilation device, type WM 110 TD Supply schedule: -prisma VENT40 basic device with battery (WM 29520) - prismaBAG advanced, transport bag (WM 29710) -Leakage circuit, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - O2 connection nozzle (WM 30669) - SD card (WM 29794)</p>
WM 29500-1110	<p>prisma VENT40, ventilation device, type WM 110 TD Supply schedule: -prisma VENT40 basic device (WM 29510) - prismaBAG advanced, transport bag (WM 29710) - Leakage circuit, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - O2 connection nozzle (WM 30669) - SD card (WM 29794)</p>
WM 29550-1111	<p>prisma VENT40 with battery and prismaAQUA ventilation device, type WM 110 TD with humidifier, type WM 100 TH Supply schedule: -prisma VENT40 basic device with battery (WM 29520) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - SD card (WM 29794) - O2 connection nozzle (WM 30669) - prismaAQUA white, humidifier (WM 29490) -prismaAQUA white, basic device (WM 29495)</p>
WM 29500-1111	<p>prisma VENT40 with prismaAQUA, ventilation device, type WM 110 TD with humidifier, type WM 100 TH Supply schedule: - prisma VENT40 basic device (WM 29510) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - SD card (WM 29794) - O2 connection nozzle (WM 30669) - prismaAQUA white, humidifier (WM 29490) -prismaAQUA, basic device (WM 29495)</p>

### **prisma VENT30-C**

WM 29370-1110	<p>prisma VENT30-C with battery, ventilation device, type WM 110 TD Supply schedule: -prisma VENT30-C basic device with battery (WM 29540) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - O2 connection nozzle (WM 30669) - SD card (WM 29794)</p>
WM 29370-1111	<p>prisma VENT30-C with battery and prismaAQUA ventilation device, type WM 110 TD with humidifier, type WM 100 TH Supply schedule: -prisma VENT30-C basic device with battery (WM 29540) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - SD card (WM 29794) - O2 connection nozzle (WM 30669) - prismaAQUA white, humidifier (WM 29490) --prismaAQUA white, basic device (WM 29495)</p>
WM 29360-1110	<p>prisma VENT30-C, ventilation device, type WM 110 TD Supply schedule: -prisma VENT30-C basic device (WM 29530) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - O2 connection nozzle (WM 30669) - SD card (WM 29794)</p>
WM 29360-1111	<p>prisma VENT30-C with prismaAQUA, ventilation device, type WM 110 TD with humidifier, type WM 100 TH Supply schedule: - prisma VENT30-C basic device (WM 29530) - prismaBAG advanced, transport bag (WM 29710) - Breathing tube, 22 mm, black (WM 23962) - Power cord (WM 24177) - Set of 2 air filters (WM 29928) - Set of 12 pollen filter (WM 29652) - SD card (WM 29794) - O2 connection nozzle (WM 30669) - prismaAQUA white, humidifier (WM 29490) --prismaAQUA, basic device (WM 29495)</p>

### **prisma30ST**

WM 29930-2110

prisma30ST BiLevel ST Therapy Set,

Type WM 100 TD

Supply Schedule:

- prisma30ST basic device (WM 29936)
- prismaBAG premium, carrying bag (WM 29977)
- Breathing tube, 22 mm ((WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)

WM 29930-2111

prisma30ST with prismaAQUA BiLevel ST Therapy Set, Type WM 100 TD with humidifier type WM 100 TH

Supply Schedule:

- prisma30ST basic device (WM 29936)
- prismaBAG premium, carrying bag (WM 29977)
- Breathing tube, 22 mm (WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)
- prismaAQUA, humidifier (WM 29680)

**Accessories prisma VENT and prisma30ST**

WM 30660	prisma VENT50 basic device with battery
WM 30640	Basic Device prisma VENT50
WM 30620	prisma VENT 50-C, basic device
WM 30630	prisma VENT 50-C, basic device with battery
WM 29520	prismaVENT40 basic device with battery
WM 29510	prisma VENT40 basic device
WM 29330	Basic device prisma VENT30 with battery
WM 29310	prisma VENT30 basic device
WM 29490	prismaAQUA, type WM 100 TH Humidifier, white consists of: - Upper part of housing (WM 29492) - Lower part of housing (WM 29682) - Humidifier insert (WM 29683) - Heater rod
WM 23962	Leakage circuit, 22 mm, black
WM 24667	Breathing tube 22 mm, autoclavable
WM 29530	prisma VENT30-C basic device
WM 29540	Basic device prisma VENT30-C with battery
WM 24445	Breathing tube, 22 mm
WM 27181	Single patient circuit valve ventilation for - VENTIllogic LS/ plus - prisma VENT50
WM 271705	Leakage circuit, heated (i), auto-fill chamber, passive valve, 150 cm + 60 cm, 22 mm Ø for LM150TD, prisma VENT AQUA, prisma VENT50-C
WM 271704	Leakage circuit, heated (i), auto-fill chamber, passive valve, 150 cm + 60 cm, 15 mm Ø for LM150TD, prisma VENT AQUA, prisma VENT50-C
WM 271708	Single tube valve system, heated (i), with auto-fill chamber, 150cm + 60cm, 22mm Ø for prisma VENT50, VENTIllogic LS, VENTIllogic plus
WM 271707	Single tube valve system, heated (i), with auto-fill chamber, 150cm + 60cm, 15mm Ø for prisma VENT 50, VENTIllogic LS, VENTIllogic plus - can be used only for adults and in the mode with temperature probe & heating wire -
WM 29067	prismaHYBERNITE heated breathing tube for prisma type 100 TD / 110 TD/ 120 TD
WM 29988	Breathing tube, 15 mm, for prisma type WM 100TD / 110 TD/ 120TD, LM150TD
WM 29083	prismaHYBERNITE 15mm, heated breathing tube for prismaLINE type WM 100 TD / 110 TD/ 120 TD
WM 27651	Leakage circuit for mouthpiece ventilation, 15 mm
WM 27589	WILAsilent exhalation system
WM 27591	Bacteria and virus filter Teleflex Iso-Gard (breathing system filter)

WM 29652	Set of 12 Pollen filters/fine filters
WM 29928	Set of 2 air filters/coarse dust filters
WM 29659	prismaBAG basic, carrying bag
WM 29977	prismaBAG premium, carrying bag
WM 29337	prismaBAG advanced, transport bag for prisma VENT
WM 30633	Transport bag for mobile use for WM 120 TD und WM 110 TD
WM 27855	Trolley for prisma VENT consists of:  - trolley - Plate for trolley for prisma VENT - articulated arm (circuit arm)
LMT 31365	Trolley 2.0 HC for device type WM110TD/ WM120TD consists of: -Trolley 2.0 (31355) -Plate for trolley 2.0 for device type WM110TD/WM120TD (31358)  *The circuit arm has to be ordered separately.*
WM 30669	Oxygen connection nozzle
WM 29794	SD Card
WM 30595	PDMS cable prisma VENT
WM 27745	VENTIremote alarm, 10m cable
WM 27755	VENTIremote alarm, 30m cable
WM 27780	Connection cable, nurse call 10m
WM 27790	Connection cable, nurse call 30m
WM 24616	12V power inverter
WM 15876	Replacement battery, packed for: - VENTIllogic LS/ plus from SN: 10.000
LMT 17814	Replacement battery, packed for: - prismaVENT WM 110TD/ 120TD
WM 24177	Power cord
WM 24133	Power cord europe type C
WM 29657	Power supply unit for WM 100TD
WM 29690	prismaPSG, PSG module consists of: - prismaPSG basic device (WM 29691) - Connection cable PSG module (WM 29696)
WM 35151	PSG connection cable HL
WM 35152	PSG connection cable LMT
WM 35153	PSG connection cable jack 3,5 mm
WM 35154	PSG connection cable jack 2.5 mm
WM 35155	PSG connection cable universal
WM 29696	Connecting cable PSG module
WM 98273	Network cable

WM 93335	prismaTS software, complete with micro USB data cable consists of: - prismaTS software (WM 93331) - Micro USB data cable (WM 35160)
WM 29670	prismaCONNECT, Communication module
WM 29390	prisma CHECK, SpO2 module, for prisma type WM 100 TD / 110 TD/ 120 TD
	The pulse oximetry sensor and the SpO2 connection cable are accessories and must be ordered separately.
WM 35581	Connection cable SpO2
WM 35532	softtip sensor SpO2module, size S
WM 35533	softtip sensor SpO2module, size M
WM 35534	softtip sensor SpO2module, size L

**VENTIlogic LS ventilation devices**

## **VENTIllogic LS**

WM 27970

VENTIllogic LS, ventilator  
hospital from SN 20.000  
consisting of:  
VENTIllogic LS basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIllogic LS/ VENTIllogic plus  
(WM 27106)  
Single patient circuit valve ventilation  
(WM 27181)  
Patient circuit, Leakage ventilation, (WM 24445)  
Set, conversion to double patient circuit with  
patient valve, packed (WM 15546) consisting of:  
- exhalation module, packed (WM 27185)  
- double patient circuit with patient valve  
(WM 27182)  
Test adapter, packed (WM 27140)  
Adapter, leakage ventilation, packed (WM 27199)  
Drying adapter (WM 24203)  
Information and spare part set (WM 15494),  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
patient passport (1P-10088)  
Set, O2-measurement (WM15732) consisting of:  
- connection cable for O2 sensor (WM 27792)  
- O2 sensor (WM 27128)  
- T-piece, O2 sensor (WM 27143)  
2 x Bacteria filter, valve ventilation (WM 27591)  
Clinic adapter (WM 15880)

WM 27960

VENTIllogic LS, ventilator  
double patient circuit with patient valve  
from SN 20.000  
consisting of:  
VENTIllogic LS basic device (WM 27951)  
power cord (WM 24177)  
Protective bag for VENTIllogic LS/ VENTIllogic plus  
(WM 27106)  
Set, conversion to double patient circuit with  
patient valve, packed (WM 15546) consisting of:  
- exhalation module, packed (WM 27185)  
- double patient circuit with patient valve  
(WM 27182)  
Test adapter, packed (WM 27140)  
Adapter, leakage ventilation, packed (WM 27199)  
Information and spare part set (WM 15494),  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
patient passport (1P-10088)  
Clinic adapter (WM 15880)

WM 27950

VENTIllogic LS, ventilator  
single patient circuit with patient valve,  
from SN 20.000  
consisting of:



WM 27940

VENTIlogic LS basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic plus  
(WM 27106)  
Single patient circuit valve ventilation (WM 27181)  
Test adapter, packed (WM 27140)  
Adapter leakage ventilation, packed (WM 27199)  
Information and spare part set (WM 15494)  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
patient passport (1P-10088)  
Clinic Adapter (WM 15880)

VENTIlogic LS, ventilator  
leakage ventilation from SN 20.000  
consisting of:  
VENTIlogic LS, basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic plus  
(WM 27106)  
Test adapter, packed (WM 27140)  
Set, conversion to leakage ventilation, packed  
(WM15545) consisting of:  
- adapter, leakage ventilation (WM 27199)  
- drying adapter (WM 24203)  
- patient circuit (WM 24130)  
Information and spare parts set (WM 15494)  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-coupling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
patient passport (1P-10088)  
Clinic adapter (WM 15880)

### Accessories VENTIllogic LS

WM 27951	VENTIllogic LS, basic device
WM 24120	Set, tube system for clinic consisting of: - creased tube, can be sterilized (WM 24122) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - pressure connector (WM 24129) - sealing plugs (2x) (WM 24115)
WM 23370	Hose system (leakage) for third-party humidifier
WM 27181	Single patient circuit valve ventilation for - VENTIllogic LS/ plus - prisma VENT50
WM 27182	Double patient circuit with patient valve for VENTIllogic LS
WM 271708	Single tube valve system, heated (i), with auto-fill chamber, 150cm + 60cm, 22mm Ø for prisma VENT50, VENTIllogic LS, VENTIllogic plus
WM 271707	Single tube valve system, heated (i), with auto-fill chamber, 150cm + 60cm, 15mm Ø for prisma VENT 50, VENTIllogic LS, VENTIllogic plus - can be used only for adults and in the mode with temperature probe & heating wire -
WM 27651	Leakage circuit for mouthpiece ventilation, 15 mm
WM 27646	Mouthpiece
WM 27184	Exhalation valve for double patient circuit
WM 15545	Set, conversion to leakage ventilation, packed consisting of: - adapter, leakage ventilation (WM 27199) - drying adapter (WM 24203) - patient circuit (WM 24130)
WM 15546	Set, conversion to double patient circuit with patient valve, packed, VENTIllogic LS consisting of: - exhalation module, packed (WM 27185) - double patient circuit with patient valve (WM 27182)
WM 15732	Set, O2 measurement consisting of: - connection cable for O2 sensor (WM 27792) - O2 sensor (WM 27128) - T-piece, O2 sensor (WM 27143)
WM 15876	Replacement battery, packed for: - VENTIllogic LS/ plus from SN: 10.000
WM 27880	Replaceable battery VENTIllogic LS/ plus (from serial no. 10.000)
WM 24365	VENTIclick humidifier, clicks into place
WM 27745	VENTIremote alarm, 10m cable
WM 27755	VENTIremote alarm, 30m cable
WM 27780	Connection cable, nurse call 10m
WM 27790	Connection cable, nurse call 30m

WM 27853	Leakage adapter for standard cone 22mm (for VENTIllogic plus/ VENTIllogic LS)
WM 15880	Clinic adapter (for VENTImotion2, VENTImotion, VENTIllogic, VENTIlgoic LS, VENTIllogic plus)
WM 27591	Bacteria and virus filter Teleflex Iso-Gard (breathing system filter)
WM 27589	WILAsilent exhalation system
WM 27646	Mouthpiece
WM 27561	Analogbox D/A without power supply unit
WM 95090	Power supply unit
WM 93321	Converter cable USB-RS/485, complete
WM 27976	Water-resistant transport bag for mobile usage of VENTIllogic LS/ plus
WM 27705	Trolley 2.0 for VENTIllogic LS/plus consists of: -Trolley 2.0 -Plate for trolley 2.0 for VENTIllogic LS/plus  *The circuit arm has to be ordered separately.*
WM 27140	Test adapter, packed (VENTIllogic LS)
WM 24616	12V power inverter

### Replacement Parts Ventilation

WM 27759	Coarse dust filter, fan
WM 24880	Coarse dust filter, device inlet port
WM 15026	Fine filter (WM 24870), packed
WM 24147	Particle filter for bacteria filter (1 piece)
WM 15584	Set I Particle filter (10 of WM 24147)
WM 15576	Set II Particle filter (100 of WM 24147)
WM 15720	Set of year's supply of spare filters, packed (3x fine filters, 2x coarse filters, 2x coarse dust filters for fan)
WM 15682	One-year supply set of replacement filters, packed, (3 fine filters WM 24870, 2 coarse dust filters WM 24880)
WM 35532	softtip sensor SpO2module, size S
WM 35533	softtip sensor SpO2module, size M
WM 35534	softtip sensor SpO2module, size L
WM 27278	Connection cable 1m
WM 27106	Protective bag for VENTIllogic LS/ VENTIllogic plus
WM 24386	Heating rod VENTIclick
LMT 15986	Set, cover of expiration module
WM 24180	Filter cover black
WM 24368	Upper part of housing VENTIclick, pre-assembled
WM 24388	Lower part of housing VENTIclick
WM 24378	Filling stopper
WM 27199	Adapter leakage ventilation, packed
WM 15739	Set, adapter for valve ventilation, packed consisting of: - adapter, valve ventilation (WM 27738) - cylinder bold M4 (WM 50605)
WM 27738	Adapter, valve ventilation
WM 27185	Exhalation module, packed (VENTIllogic LS)
WM 27792	Connecting cable for O2 sensor
WM 27128	O2 sensor
WM 27143	T-piece, O2 sensor
WM 27758	Connection cable 30m, VENTIremote alarm
WM 27789	Connection cable 10m, VENTIremote alarm
WM 24122	Spiral tube, can be sterilized
WM 24108	Spiral tube, can be disinfected
WM 24123	Adapter tube
WM 24115	Sealing plug for pressure measurement tube
WM 24038	Pressure measurement tube
WM 24129	Pressure connector
WM 24203	Drying adapter
WM 24708	Allen wrench, size 3
WM 27731	Sealing plug

(Cover SD card VENTIllogic LS/ plus)

### **Software**

WM 93335	prismaTS software, complete with micro USB data cable consists of: - prismaTS software (WM 93331) - Micro USB data cable (WM 35160)
WM 93331	prismaTS/ prismaTSlab software *free of charge as update, otherwise as part of set WM 93335
WM 93308	Connection cable full duplex
WM 93319	Connection cable,1.5 m for Converter cable USB-RS485
WM 93305	WEINMANNsupport PC Software for setting and analysis of WEINMANN ventilation and with converter cable USB-RS/485 consists of: - WEINMANNsupport, PC Software (WM 93301) - Converter cable USB-RS/485, complete (WM 93321)

### Instructions for use

68690	Instructions for use LUISA LM150TD, DE
LMT 68691	Instructions for use LUISA LM150TD, EN
LMT 68692	Instructions for use LUISA LM150TD, FR
LMT 68693	Instructions for use LUISA LM150TD, IT
LMT 68694	Instructions for use LUISA LM150TD, NL
LMT 68655	Instructions for use LUISA LM150TD, TR
LMT 68656	Instructions for use LUISA LM150TD, RU
LMT 68657	Instructions for use LUISA LM150TD, SK
LMT 68697	Instructions for use LUISA LM150TD, PL
LMT 68659	Instructions for use LUISA LM150TD, CZ
LMT 68660	Instructions for use LUISA LM150TD, ES-MX
LMT 68661	Instructions for use LUISA LM150TD, PT-BR
LMT 68662	Instructions for use LUISA LM150TD, ZH (simplified)
LMT 68698	Instructions for use LUISA LM150TD, JA
LMT 68695	Instructions for use LUISA LM150TD, TR
LMT 68664	Instructions for use LUISA LM150TD, NO
LMT 68665	Instructions for use LUISA LM150TD, SV
LMT 68666	Instructions for use LUISA LM150TD, DA
LMT 68667	Instructions for use LUISA LM150TD, FI
LMT 68668	Instructions for use LUISA LM150TD, EL
LMT 68669	Instructions for use LUISA LM150TD, HU
LMT 68696	Instructions for use LUISA LM150TD, HR
LMT 68670	Instructions for use LUISA LM150TD, KO
LMT 68671	Instructions for use LUISA LM150TD, MS
LMT 68672	Instructions for use LUISA LM150TD, PT-PT
LMT 68673	Instructions for use LUISA LM150TD, RO
LMT 68674	Instructions for use LUISA LM150TD, SL
LMT 68675	Instructions for use LUISA LM150TD, ZH (traditional)
LMT 68676	Instructions for use LUISA LM150TD, TH
LMT 68679	Instructions for use LUISA LM150TD, AR
LMT 68680	Instructions for use LUISA LM150TD, HE
LMT 68681	Instructions for use LUISA LM150TD, SR
LMT 68430	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (DE)
LMT 68431	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (EN)
LMT 68432	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (FR)
LMT 68433	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (IT)
LMT 68434	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (NL)

LMT 68435	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (TR)
LMT 68436	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (RU)
WM 68137	Instructions for use prisma VENT30-C, 40, 50, 50-C ZH
WM 68138	Instructions for use prisma VENT30-C, 40, 50, 50-C JA
LMT 68442	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (PL)
WM 68140	Instructions for use prisma VENT30-C, 40, 50, 50-C KO
LMT 68445	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (ES)
WM 68143	Instructions for use prisma VENT30-C, 40, 50, 50-C SK
LMT 68462	Instruction for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (PT-BR)
LMT 68464	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (SV)
LMT 68447	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (EL)
WM 68144	Instructions for use prisma VENT30-C, 40, 50, 50-C SV
WM 68145	Instructions for use prisma VENT30-C, 40, 50, 50-C NO
WM 68146	Instructions for use prisma VENT30-C, 40, 50, 50-C MS
LMT 68448	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (CS)
LMT 68449	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (RO)
LMT 68452	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (DA)
LMT 68453	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (HR)
LMT 68454	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (SR)
LMT 68455	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (MK)
LMT 68456	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (AR)
LMT 68457	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (HU)
LMT 68458	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (PT)
LMT 68463	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (SK)
LMT 68466	Instructions for use prisma VENT30, 30-C, 40, 40-C, 50, 50-C (SL)



WM 67780	Instructions for use VENTIllogic LS, VENTIllogic plus, DE from SN 20.000
WM 67781	Instructions for use VENTIllogic LS, VENTIllogic plus, EN from SN 15.000
WM 67782	Instructions for use VENTIllogic LS, VENTIllogic plus, FR from SN 15.000
WM 67783	Instructions for use VENTIllogic LS, VENTIllogic plus, IT from SN 15.000
WM 67784	Instructions for use VENTIllogic LS, VENTIllogic plus, NL from SN 15.000
WM 67785	Instructions for use VENTIllogic LS, VENTIllogic plus, PL from SN 15.000
WM 67786	Instructions for use VENTIllogic LS, VENTIllogic plus, SV from SN 15.000
WM 67787	Instructions for use VENTIllogic LS, VENTIllogic plus, TR from SN 15.000
WM 67788	Instructions for use VENTIllogic LS, VENTIllogic plus, EL from SN 15.000
WM 67789	Instructions for use VENTIllogic LS, VENTIllogic plus,RU from SN 15.000
WM 67791	Instructions for use VENTIllogic LS, VENTIllogic plus, ES from SN 15.000
WM 67792	Instructions for use VENTIllogic LS, VENTIllogic plus, PT from SN 15.000
WM 67793	Instructions for use VENTIllogic LS, VENTIllogic plus, DA from SN 15.000
WM 67550	Instructions for use VENTIllogic LS, VENTIllogic plus, DE from SN 10.000
LMT 68700	Additional information for experts LUISA LM150TD, DE
LMT 68501	Additional information for experts LUISA LM150TD, EN
LMT 68502	Additional information for experts LUISA LM150TD, FR
LMT 68503	Additional information for experts LUISA LM150TD, IT
LMT 68504	Additional information for experts LUISA LM150TD, NL
LMT 68505	Additional information for experts LUISA LM150TD,

	TR
LMT 68506	Additional information for experts LUISA LM150TD, RU
LMT 68507	Additional information for experts LUISA LM150TD, PL
LMT 68508	Additional information for experts LUISA LM150TD, SK
LMT 68509	Additional information for experts LUISA LM150TD, CZ
LMT 68510	Additional information for experts LUISA LM150TD, ES-MX
LMT 68511	Additional information for experts LUISA LM150TD, PT-BR
LMT 68512	Additional information for experts LUISA LM150TD, ZH (simplified)
LMT 68513	Additional information for experts LUISA LM150TD, JA
LMT 68514	Additional information for experts LUISA LM150TD, NO
LMT 68515	Additional information for experts LUISA LM150TD, SV
LMT 68516	Additional information for experts LUISA LM150TD, DA
LMT 68517	Additional information for experts LUISA LM150TD, FI
LMT 68518	Additional information for experts LUISA LM150TD, EL
LMT 68519	Additional information for experts LUISA LM150TD, HU
LMT 68521	Additional information for experts LUISA LM150TD, MS
LMT 68522	Additional information for experts LUISA LM150TD, PT-PT
LMT 68523	Additional information for experts LUISA LM150TD, RO
LMT 68524	Additional information for experts LUISA LM150TD, SL
LMT 68525	Additional information for experts LUISA LM150TD, ZH (traditional)
LMT 68526	Additional information for experts LUISA LM150TD, TH
LMT 68541	Additional information for experts LUISA LM150TD,US
WM 68400	Additional information for experts, prisma VENT30-C, 40, 40-C, 50, 50-C, DE
WM 68401	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C EN
LMT 68402	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C FR

LMT 68403	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C IT
LMT 68404	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C TR
LMT 68406	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C KO
LMT 68407	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C, ES-MX
LMT 68408	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C, SK
LMT 68409	Additional information for experts, prisma VENT30, 30-C, 40, 40-C, 50, 50-C SV
WM 68156	Additional information for experts, prisma VENT30-C, 40, 50, 50-C RU
WM 68158	Additional information for experts, prisma VENT30-C, 40, 50, 50-C JA
WM 68159	Additional information for experts, prisma VENT30-C, 40, 50, 50-C PL
WM 68162	Additional information for experts, prisma VENT30-C, 40, 50, 50-C PT(BR)
WM 68165	Additional information for experts, prisma VENT30-C, 40, 50, 50-C NO
WM 67800	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, DE from SN 15.000
WM 67801	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EN from SN 15.000
WM 67802	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, FR from SN 15.000
WM 67803	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, IT from SN 15.000
WM 67804	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, NL from SN 15.000
WM 67805	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, PL from SN 15.000
WM 67806	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, SV from SN 15.000
WM 67807	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, TR

	from SN 15.000
WM 67808	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EL from SN 15.000
WM 67809	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, RU from SN 15.000
WM 67811	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, ES from SN 15.000
WM 67812	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, PT from SN 15.000
WM 67813	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, DA from SN 15.000
WM 67620	Brief operating instructions VENTIlogic LS, VENTIlogic plus, DE from SN 15.000
LMT 68590	Brief instructions for use LUISA, DE
LMT 68591	Brief instructions for use LUISA, EN
LMT 68592	Brief instructions for use LUISA, FR
LMT 68593	Brief instructions for use LUISA, IT
LMT 68595	Brief instructions for use LUISA, ES-MX
LMT 68596	Brief instructions for use LUISA, PL
LMT 68597	Brief instructions for use LUISA, SL
WM 67621	Brief operating instructions VENTIlogic LS, VENTIlogic plus, EN from SN 15.000
WM 67847	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB, ZH
WM 68240	Instructions for use prisma HUB, DE, EN, FR
LMT 68570	Instructions for use for connecting cable Xpod SpO2 sensor, DE
LMT 68560	Instructions for use external battery LUISA, DE, EN, NL, ES, IT, FR, TR
WM 67940	Instructions for use prismaCONNECT DE, EN, FR
WM 67960	Instructions for use prismaPSG DE, EN, FR
WM 68250	Instructions for use prismaAQUA DE, EN, FR, NL, IT, TR, ES(MX), MK, MS, KO
WM 16858	Instructions for use VENTiclick, DE
WM 16859	Instructions for use VENTiclick, FR, IT, NL
WM 16871	Instructions for use VENTiclick, SV, DA, NO
WM 16872	Instructions for use VENTiclick, EN, ES, PL
WM 16873	Instructions for use VENTiclick, FI, EL, RU
LMT 66734	Instructions for use VENTIremote alarm, DE
LMT 66735	Instructions for use VENTIremote alarm, EN
LMT 66736	Instructions for use VENTIremote alarm, FR, NL, IT, ES-MX

LMT 66738	Instructions for use VENTiremote alarm, PL, SK, HU, RO
LMT 66739	Instructions for use VENTiremote alarm, PT, EL, TR, RU
WM 66818	Instructions for use Connection cable for nurse call, DE, EN, FR, NL, IT
WM 66400	Instructions for use Analogbox, D/A, DE
WM 96112	Instruction for use WEINMANNsupport, DE
WM 96113	Instructions for use WEINMANNsupport, EN
WM 96114	Instruction for use WEINMANNsupport, FR, NL, IT
WM 1P-10088	Patient passport ventilation, DE

**Flat fee for re-assignment; or change of patients**

- WM 9980142 Flat fee for VENTIllogic/ VENTImotion  
Re-use/Patient change
- WM 9980235 Flat fee for VENTImotion 2  
Re-use/Patient change
- WM 9980312 Flat fee for VENTIllogic LS/ VENTIllogic plus  
Re-use/Patient change

**Flat rate maintenance**

- WM 9980274 Basic flat fee for maintenance and safety check  
VENTIllogic LS/ plus  
8000 hrs / 2 years  
- includes scheduled replacement of parts subject  
to wear and tear -
- WM 9980277 Flat fee for replacement of additional parts -  
16.000 hrs.  
VENTIllogic LS/ plus  
- includes scheduled replacement of parts  
subject to wear and tear blower and peep valve control-
- WM 9980279 Flat fee for replacement of additional parts -  
maintenance and STK 4 years  
VENTIllogic LS/ plus  
without blower and peep valve control  
- includes scheduled replacement of parts  
subject to wear and tear and labor costs -
- WM 9980276 Flat fee for replacement of additional parts -  
every 4 years VENTIllogic LS/ plus  
rechargeable battery a. battery 3V from SN 10.000  
- includes scheduled replacement of parts  
subject to wear and tear and labor costs -
- WM 9980270 Basic flat fee for maintenance and STK  
VENTImotion 2  
5000 hrs./2 years or 15,000 hrs.  
- includes scheduled replacement of parts  
subject to wear and tear -
- WM 9980271 Flat fee for replacement of additional parts -  
maintenance and STK  
VENTImotion/ logic  
10,000 hrs./4 years or 20.000 hrs  
- includes scheduled replacement of parts  
subject to wear and tear and and labor costs -
- WM 9980272 Flat fee for replacement of additional parts -  
maintenance VENTImotion 2  
10.000 hrs./4 years or 20.000 hrs/ 8 years  
- includes scheduled replacement of parts  
subject to wear and tear and labor costs -
- WM 9980273 Flat fee for replacement of additional parts -  
maintenance BiLevel ST 22  
10.000 hrs./4 years or 20.000 hrs/ 8 years  
- includes scheduled replacement of parts  
subject to wear and tear and labor costs -

**Maintenance and Safety Checks**

- WM 9980146 STK according to §11 MPBetreibV,  
VENTImotion 2
- WM 9980238 STK according to §11 MPBetreib  
VENTIllogic plus/ VENTIllogic LS

No. 129783 - Valid from 01.04.2024

Suggested sales prices. V.A.T. excluded.

WM 9980239

STK according to §11 MPBetreib